Priority Standards

Math Priority Standards – Grade 6+

Below is a table of the priority standards.

Learning Services

Priority Standards	Description
6.RP.2	Use unit rate language ("for each one", "for every one" and "per") and unit rate
	notation to demonstrate understanding the concept of a unit rate $\frac{a}{b}$ associated
	with a ratio $a: b$ with $b \neq 0$, For example, "This recipe has a ratio of 3 cups of
	flour to 4 cups of sugar, so there is $\frac{3}{4}$ cup of flour for each cup of sugar." "We
	paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."
	(Expectations for unit rates in this grade are limited to non-complex fractions.)- <u>KSDE Flipbooks</u> *
6.RP.3	Use ratio and rate reasoning to solve real-world and mathematical problems, (e.g. by reasoning about tables of equivalent ratios, tape diagrams, double number line diagram, or using calculations.)
	 6.RP.3a. Make tables of equivalent ratios relating quantities with whole-number measurements, find the missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios. Solve unit rate problems including those involving unit pricing and constant speed. For example, if it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed? 6.RP.3b. Find a percent of a quantity as a rate per 100 (e.g. 30% of a quantity means ³⁰/₁₀₀ times the quantity); solve problems involving finding the whole, given a part and the percent. 6.RP.3c. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities <u>KSDE Flipbooks</u>*
7.RP.1	Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks $\frac{1}{2}$ mile in each $\frac{1}{4}$ hour, compute the unit rate as the complex fraction $\frac{\frac{1}{2}}{\frac{1}{4}}$ miles per hour (interpreting a complex fraction as division of fractions), equivalently 2 miles per hour KSDE Flipbooks*

Priority Standards	Description
6.NS.3	Fluently (efficiently, accurately, and flexibly) add, subtract, multiply, and divide
	multi-digit decimals using an efficient algorithm for each operation <u>KSDE</u>
	<u>Flipbooks</u> *
6.NS.5	 opposite directions or values (e.g. temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); 6.NS.5a. Use positive and negative numbers to represent quantities in real-world contexts,
	 6.NS.5b. Explaining the meaning of 0 in each situation <u>KSDE Flipbooks</u>*
6.NS.6	Understand a rational number as a point on the number line and a coordinate pair as a location on a coordinate plane.
	• 6.NS.6a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, (e.g. $-(-3) = 3$,) and that 0 is its own opposite.
	 6.NS.6b. Recognize signs of numbers in ordered pairs indicate locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.
	 6.NS.6c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane <u>KSDE Flipbooks</u> *
6.NS.7	Understand ordering and absolute value of rational numbers.
	 6.NS.7a. Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret −3 > −7 as a statement that −3 is located to the right of −7 on a number line oriented from left to right. 6.NS.7b. Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write −3°C > −7°C to express the fact that −3°C is warmer than −7°C. 6.NS.7c. Explain the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. For example, for an account balance of −30 dollars, write −30 = 30 to describe the size of the debt in dollars. 6.NS.7d. Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than −30 dollars represents a debt areater than 30 dollars. KSDE Flipbooks*
7.NS.3	Solve and interpret real-world and mathematical problems involving the four
	operations with rational numbers. (Computations with rational numbers extend the rules for manipulating fractions to complex fractions.) - <u>KSDE Flipbooks</u> *

Priority Standards	Description
6.EE.2ab	Write, read, and evaluate expressions in which letters stand for numbers.
	 6.EE.2a. Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as 5 - y.
	 6.EE.2b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the expression 2(8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms <u>KSDE Flipbooks</u>*
6.EE.3	Apply the properties of operations and combine like terms, with the conventions of algebraic notation, to identify and generate equivalent expressions. For example, apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$ KSDE Flipbooks*
6.EE.6	Write and solve one-step equations involving non-negative rational numbers using addition, subtraction, multiplication and division <u>KSDE Flipbooks</u> *
6.EE.8	Use variables to represent two quantities in a real-world problem that change in relationship to one another.
	 6.EE.8a. Identify the independent and dependent variable. (6.EE.9) 6.EE.8b. Write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time.
	 6.EE.8c. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation<u>KSDE Flipbooks</u>*
7.EE.3	Solve multi-step real-life and mathematical problems with rational numbers. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. <i>For example: If a woman</i> <i>making \$25 an hour gets a 10% raise, she will make an additional</i> $\frac{1}{10}$ <i>of her</i> <i>salary an hour, or \$2.50, for a new salary of \$27.50, - KSDF Eliphooks*</i>
7.EE.4	Use variables to represent quantities in a real-world or mathematical problem,
	and construct two-step equations and inequalities to solve problems by
	reasoning about the quantities.
	 7.EE.4a. Solve word problems leading to equations of the form px+q=r, and p(x+q)=r where p, q, and r are specific rational numbers. Solve equations of these forms fluently (<u>efficiently, accurately, and flexibly</u>). Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. For example, the
	perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?

Priority Standards	Description
	 Solve word problems leading to inequalities of the form px+q >
	r or
	• 7.EE.4b. px+q < r where <i>p</i> , <i>q</i> , and <i>r</i> are specific rational numbers and p
	> 0. Graph the solution set of the inequality and interpret it in the
	context of the problem. For example: As a salesperson, you are paid
	\$50 per week plus \$3 per sale. This week you want your pay to be at
	least \$100. Write an inequality for the number of sales you need to
	make, and describe the solutions <u>KSDE Flipbooks</u> *
6.G.1	Find the area of all triangles, special quadrilaterals (including parallelograms,
	kites and trapezoids), and polygons whose edges meet at right angles
	(rectilinear figure (See <u>Geometry Progression K-6 Pg. 19 Paragraph 4</u>) polygons)
	by composing into rectangles or decomposing into triangles and other shapes;
	apply these techniques in the context of solving real-world and mathematical
	problems <u>KSDE Flipbooks</u> *
6.G.4	Represent three-dimensional figures using nets made up of rectangles and
	triangles, and use the nets to find the surface area of these figures. Apply these
	techniques in the context of solving real-world and mathematical problems
6 6 9 9	<u>KSDE FIIPDOOKS</u> "
6.SP.2	Analyze a set of data collected to answer a statistical question with a
	distribution which can be described by its center (mean, median and/or mode),
	spread (range and/or interquartile range), and overall <u>snape</u> (cluster, peak,
	Summarize numerical data sets in relation to their context, such as by:
0.56.5	• 6 SP 52. Reporting the number of observations
	 6 SP 5h. Describing the nature of the attribute under investigation
	including how it was measured and its units of measurement
	 6 SP 5c. Giving quantitative measures of center (mean median and/or
	mode) and variability (range and/or interquartile range) as well as
	describing any overall pattern and any striking deviations from the
	overall pattern with reference to the context in which the data were
	gathered.
	 6.SP.5d. Relating the choice of measures of center and variability to the
	distribution of the data.
	- <u>KSDE Flipbooks</u> *
7.SP.8	Find probabilities of compound events using organized lists, tables, tree
	diagrams, and simulation.
	• 7.SP.8a. Know that, just as with simple events, the probability of a
	compound event is the fraction of outcomes in the sample space for
	which the compound event occurs.
	• 7.SP.8b. Represent sample spaces for compound events using methods
	such as organized lists, tables and tree diagrams. For an event
	described in everyday language <i>le a "rolling double sizes"</i>) identify the
	outcomes in the sample space which compose the event
	 7 SP 8c. Design and use a simulation to generate frequencies for
	compound events. For example, use random digits as a simulation tool
	compound events. For example, use random digits as a simulation tool

Priority Standards	Description
	to approximate the answer to the question: If 40% of donors have type
	A blood, what is the probability that it will take at least 4 donors to find
	one with type A blood? - <u>KSDE Flipbooks</u> *

*Kansas Department of Education has created 'Flipbooks' for current standards that detail each standard, including examples and resources to support in understanding the depth of the standard.